EBARA

CONTENTS

rev.A

	Page
- SPECIFICATIONS	**200**
- DIMENSIONS AND WEIGHT	**300**
D – TANK 200	300
D – TANK 600	301
- SPARE KIT	**400**
SPARE KIT 200	400
SPARE KIT 600	401
- **ACCESSORY**	**400**
PLATE 600E	401

SPECIFICATION

rev.A

MODEL			D–TANK 200	D–TANK 600
Liquid Handled	Type of liquid		Water for domestic use	
	Max temperature	[°C]	60	
Tank capacity		[l]	200	600
Pipe Connection	Inlet		DN 110	
	Outlet		DN 63	
Material	Casing Gaskets Piping		Polyethylene EPDM (cover), NBR PVC	
Kit included	D–TANK		Bend, Pipes in bag (double in D–TANK 600)	
	D–TANK E (equipped)		Coupling foot (2” GAS) – Bend – Pipes (double in D–TANK 600)	
Number of pumps that can be installed			1	2
Standard compliance			UNI-EN12050 - 2	
Note			D-TANK 200 (E) / D-TANK 600 (E) LOAD UP TO 40kgf	

DIMENSIONS AND WEIGHT

rev.A

D – TANK 200 / 200 E



Type	Weight [kg]
D – TANK 200	13
D – TANK 200 E	23

DIMENSIONS AND WEIGHT

rev.A

D – TANK 600 / 600 E



Type	Weight [kg]
D – TANK 600	33
D – TANK 600 E	53

SPARE KIT

rev.A

SPARE KIT 200



COVER SPARE KIT 200



PIPING SPARE KIT 200



PIPING SPARE KIT "E" 200



SPARE KIT

rev.A

SPARE KIT 600